



PRODUCT CATALOG 2021



## TABLE OF CONTENTS

#### POWER BEYOND BELIEF™

The Power of EGO	04
EGO POWER+ Batteries & Chargers	06
EGO POWER+ Platform	12
EGO Commercial Series	48
PTIA 2020 Award Winners	66





### POWER<sup>®</sup> LINE UP

EGO POWER+ Portable Power	14
EGO POWER+ Mowers	16
EGO POWER+ String Trimmers	22
EGO POWER+ Blowers	26
EGO POWER+ Backpack Blowers	30
EGO POWER+ Multi-Head System	32
EGO POWER+ Chain Saws	36
EGO POWER+ Hedge Trimmers	38
EGO POWER+ Snow Blowers	40
FGO POWER+ Accessories	44

### POWER COMMERCIAL SERIES

Power for Pros	48
EGO POWER+ Backpack Battery	54
EGO POWER+ Commercial String Trimmer	56
EGO POWER+ Commercial Hedge Trimmer	58
EGO POWER+ Commercial Top Handle Saw	60
EGO POWER+ Commercial Blower	62
EGO POWER+ Warranties	64





## OUTPERFORMS AND OUTPOWERS GAS

It's no wonder EGO is the #1 battery-powered platform in the industry according to leading consumer reports publications. Every tool in our platform delivers or exceeds the power of gas—without the noise, fuss, or fumes. Out patented ARC Lithium™ technology makes the EGO Power+platform the most advanced in the industry. You get the power of gas and longer run times no matter which EGO tool you use. In every season, for any outdoor challenge, count on EGO tools to deliver the power, performance, and innovation you need.

All EGO POWER+ products come with a 5-year warranty on tools and a 3-year warranty on batteries. The warranty for commercial users is 2 years. See all the details on our website.

#### Unprecedented cordless power and performance

Featuring the most advanced battery technology, EGO matches or surpasses the power of gas—running longer and performing better.

#### Industry leading design

Powered by collaboration and innovation, we create and patent advanced and industry-leading products unlike anything else to provide Power Beyond Belief™.

#### **Quality materials and construction**

Designed to handle the toughest conditions, we use genuine parts to ensure compatibility and quality.

#### Ease and convenience of design

Designed with the user in mind, all EGO tools offer an ergonomic design for superb balance and ultimate comfort.





#### PLATFORM COMPATIBILITY

56V ARC Lithium™ Batteries power all 50+ EGO tools



#### **CONVENIENT STORAGE**

Unlike large, heavy gas equipment, the EGO POWER+ fold-flat design makes storage, cleaning and

## ZERO Compromises



### RELIABLE SET UP AND STARTING

No filling up with fuel; with EGO POWER+ just click in the battery and get to work



#### **LOWER RUNNING COSTS**

The cost of running an EGO POWER+ product for a month is the same as using a two-stroke product for a day and has longer life cycles



#### **SAVE TIME**

No more trips to the gas station – with the industry's fastest charge times, EGO Arc Lithium™ batteries can be recharged in as little as 25 minutes



#### LESS NOISE AND VIBRATIONS

EGO Power+ tools operate at lower noise and vibration levels than traditional gas-powered tools



#### **ENVIRONMENTALLY FRIENDLY**

With zero emissions during use, EGO ARC Lithium™ batteries provide gas-matching power without the fuss and fumes



# THE MOST ADVANCED TECHNOLOGY IN THE INDUSTRY

Innovation. It's not just about the big idea. It's about the work you put in. The details. And pushing forward until you've created something unlike anything that has come before it. That's EGO. That's Power Beyond Belief.™ The technology used in the EGO POWER+ system breaks the mold. It begins with EGO's 56V ARC Lithium™ battery. Unlike other battery packs, which are shaped like bricks and retain heat, ours follows a patented "arc" design. Inside, we developed the most advanced software-management system ever created in a lawn and garden product. And our proprietary Keep Cool™ cell technology works with each battery cell to maintain long-lasting power and unmatched performance. The EGO POWER+ system also boasts a revolutionary charging system. In just 30 minutes, a depleted battery can be fully recharged: another first in the lawn and garden world. Power Beyond Belief starts with better technology. That's what puts EGO's power, performance and durability on a whole new level.



#### BETTER PERFORMANCE IS BUILT IN

#### No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A three-year limited warranty





#### SHOCK-RESISTANT DESIGN

EGO's sealed and shock-resistant design protects batteries from drops and the elements—guaranteeing the highest level of performance and durability.

#### INTELLIGENT POWER MANAGEMENT

EGO's intelligent power management monitors and optimizes each individual battery cell to maximize power, performance, and run time.

#### 56V ARC LITHIUM™


EGO's ARC Lithium™ design keeps the battery from overheating and your equipment running longer at full power.

#### KEEP-COOL CELL TECHNOLOGY

Each cell of the EGO POWER+ battery is surrounded by revolutionary phase-changing material that pushes heat away.

#### BATTERY PERFORMANCE OF CORDLESS PLATFORMS

56V BATTERIES
DELIVER MORE
USABLE POWER
THAN ANY OTHER
HAND-HELD BATTERY





## **NOT ALL VOLTS** ARE CREATED EQUAL

### **VOLTAGE # PERFORMANCE**

Performance of a battery is determined by a combination of ENERGY(Wh) and POWER(W)

 $CAPACITY \times VOLTAGE = ENERGY$ (Ah) **(V)** 

**VOLTAGE x CURRENT = POWER (V)** (A) (W)





BA1400T 2.5Ah BATTERY 140Wh, 1P



BA2800T 5.0Ah BATTERY 280Wh, 2P



BA4200T 7.5Ah BATTERY 420Wh, 3P



BA5600T 10.0Ah BATTERY 560Wh, 4P



#### CH5500 Rapid Charger

- Fan Cooled
- Intelligent Charging Technology
- Integrated LED Charging Indicator



PERFORMANCE STATISTICS								
BATTERY		2.5Ah 5.0Ah		7.5Ah	10.0Ah			
CAPACITY (Wh/Ah)		140/2.5	280/5.0	420/7.5	560/10.0			
CHARGE	RAPID CHARGER	30 mins	40 mins	60 mins	85 mins			
TIMES	56V CHARGER	50 mins	100 mins	145 mins	200 mins			
WEIGHT		2.8 lbs	4.8 lbs	6.3 lbs	7.4 lbs			
WARRANTY	r	3 years	3 years	3 years	5 years			

#### CH2100 56V CHARGER

- Fan Cooled
- Intelligent Charging Technology



#### CH2800D DUAL-PORT CHARGER

- Fan Cooled
- Intelligent Charging Technology
- Simultaneous Charging with Dual Ports
- Charge two EGO Batteries of any size



#### NEW!

#### CH7000 Turbo Charger

- Industry's Fastest Charger
- Connect to app for charging status and notifications











## FROM EMPTY TO FULLY CHARGED, IN JUST 30 MIN

With a range of battery sizes available from 2.5Ah to 10Ah, you can choose the power you need to tackle any task. When it's time to recharge, the EGO POWER+ Turbo Charger is the fastest on the market. The intelligent battery control system constantly monitors each cell's charge and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. In fact with the turbo charger, the 4.0Ah battery takes just 30 minutes. So with two batteries on the go, you'll have all the power you need, all day long.



#### CH5500 RAPID CHARGER

The EGO POWER+ Rapid Charger offers unprecedented recharge times; in just 30 minutes, a depleted 2.0Ah battery can be fully recharged



TURBO CHARGER

The EGO POWER+ Turbo Charger leads the industry in recharge times; in just 20 minutes, a depleted 2.0Ah battery can be fully recharged

#### CHX5500 **COMMERCIAL CHARGER**



#### CH2100 **56V CHARGER**



PERI	PERFORMANCE STATISTICS									
MODEL		BA1400T	BA2800T	BA4200T	BA5600T	BAX1501				
BATTERY (Ah)		2.5Ah 5.0Ah		7.5Ah	7.5Ah 10.0Ah					
CAPACITY (Wh)		140	280	420	560	1568Wh at 56V rated				
	RAPID CHARGER: CH5500	30 mins	40 mins	60 mins	85 mins	-				
CHARGE TIMES	STANDARD CHARGER: CH2100	50 mins	100 mins	145 mins	200 mins	-				
	TURBO CHARGER: CH7000	35 mins	35 mins	50 mins	70 mins	-				
	COMMERCIAL CHARGER: CHX5500	-	-	-	-	Default: 420 mins Rapid: 210 mins				
WEIGHT		2.8 lbs	4.8 lbs	6.1 lbs	7.4 lbs	19.8 lbs				



#### **TABLE OF CONTENTS**

600 CFM Backpack Blower

EGO POWER+ Portable Power	14	EGO POWER+ Multi-Head System	32
Nexus Power Station	14	Power Head	32
Nexus Escape	14	Extension Pole Attachment	32
		Pole Saw Attachment	34
EGO POWER+ Mowers	16	String Trimmer Attachment	34
42" Zero Turn Riding Mowers	16	Cultivator Attachment	34
21" Self-Propelled Mowers with Select Cut™	18	Edger Attachment	35
21" Self-Propelled Mower with Peak Power™	20	Hedge Trimmer Attachment	35
21" Self-Propelled Mower	20	Bristle Brush Attachment	35
21" Push Mower	20	Rubber Broom Attachment	35
20" Self-Propelled Mower	20	FOO DOWED+ Chair Carre	00
21" Self-Propelled Mower	20	EGO POWER+ Chain Saws	36
21" Push Mower	20	14" Chain Saw	37
		16" Chain Saw	37
EGO POWER+ String Trimmers	22	18" Chain Saw	37
15" String Trimmer with Powerload™	22	FOO DOWIED LILL TO	00
15" String Trimmer with Rapid Reload	24	EGO POWER+ Hedge Trimmers	38
15" String Trimmer Kit	24	24" Hedge Trimmer	38
8" Edger	24	25" Hedge Trimmer	39
EGO POWER+ Blowers	26	EGO POWER+ Snow Blowers	40
		24" 2-Stage Snow Blower with Peak Power™	40
530 CFM Blower	28	21" Single Stage Snow Blower with Peak Power™	42
580 CFM Blower 615 CFM Blower	28 28	LI SINGIO STORE STONE STONE WITH TOUR TOUR	12
650 CFM Blower	28		
OU OIN DIONEI	20	EGO POWER+ Accessories	· //
FOO DOWED : D. I. I. DI	00	COO LOANER, WCC62201162	44
EGO POWER+ Backpack Blowers	30		

30







## POWER WHEN YOU WANT IT POWER WHEN YOU NEED IT



### A true alternative to compact gas generators

Say goodbye to the gas generator. The EGO Nexus Power Station can harness the power of any EGO battery to deliver clean, quiet power—indoors or out.

The Nexus Power Station is the first portable power station of its kind. Use in a power outage to plug in your refrigerator so the food does not spoil or plug in your microwave to cook the family a quick dinner. Bring the power station anywhere you do not have convenient power, like camping, hiking, boating, tailgating; the possibilities are endless.



PAD1500

#### **150W NEXUS ESCAPE**

Built tough with a 120V AC power outlet and two USB ports






CH1800

#### EGO SOLAR PANEL CHARGER

Connect your solar panel charger to your EGO Nexus Power Station for convenient solar recharging with up to 180W of charging with 12V solar panels.





	PAD1500
POWER	Any EGO Battery (sold separately)
OUTLETS	1 120V AC
PORTS	2 USB
WARRANTY	5-year limited







## **Z6**POWER LIKE NO OTHER

The EGO Power+ 42" Z6 Zero Turn Riding Mower is a ZTR like nothing else out there. Featuring Peak Power™+ technology, it can hold up to 6 EGO 56V ARC Lithium™ Batteries – the same battery technology powering all EGO products, making it the World's First Platform Compatible Rider. Delivering 22 horsepower, equivalent to a gas engine, and reaching a top speed of 8 MPH, the Z6 covers up to 2-acres on a single charge with four 10Ah batteries (included). Fully expandable! Add more batteries to cut 3, 4, 5 or as many acres as needed - unlike any other battery-powered ZTR in the market. The Industry's Fastest Charger fully charges 4 x 10Ah in just 2 hours, 4x faster than competitors. The 4 independent brushless motors deliver the power and performance of gas with an adjustable hydraulic seat suspension for a comfortable mowing experience. Customize the ride with a LCD interface featuring 3 driving modes: Control, Standard, and Sport that can be accessed with the simple touch of a finger. Premium features like LED lights, USB charging port and Bluetooth come standard to make the experience unlike any other ZTR. Experience zero-turn mowing like never before with the all-new EGO Power+ 42" Z6 Zero Turn Riding Mower -Power Like No Other.

#### EGOPOWERPLUS.COM/WORTHTHEWAIT



#### ZT4204L

#### 42" Z6 ZERO TURN RIDING MOWER

Zero Turn riding mower with Peak Power™ technology and 22 HP to cover up to 2 acres on a single charge











## INDUSTRY'S #1 RATED CORDLESS LAWN MOWERS



The EGO POWER+ 21" Select Cut™ XP Self-Propelled Mower delivers 8.3 ft-lb of torque that exceeds the power of gas. The Select Cut™ Multi-blade Cutting System is equipped with three, interchangeable lower blades; the Mulching Blade, High Lift Bagging Blade and Extended Runtime Blade.

EGO's Self-Propelled Touch Drive™ Technology comes from years of research and development. Touch Drive™ Technology puts complete control of the self-propelled system in the palm of your hands by using pressure to engage the system.

Easily control the variable speed with a dial positioned at your fingertips for safe and convenient operation.

The Select Cut™ XP harnesses the power of the industry's most advanced 56 Volt 10.0 Ah ARC Lithium™ battery by delivering 75 minutes of cutting time on a single charge.

## VARIABLE-SPEED SELF-PROPEL MOTOR

KEEPS YOU IN CONTROL AS YOU CUT



#### LM2150SP / LM2156SP 21" SELECT CUT™ XP SELF PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System











Please note: Some features are not available on all models



#### LM2142SP 21" SELF-PROPELLED MOWER with PEAK POWER

Self-propelled mower with a 21-inch cutting capacity and 2.0 bushel collection bag







INCLUDES 2X 5.0 AH BATTERIES



#### LM2100 / LM2101 21" PUSH MOWER

Push mower with a 21-inch cutting capacity and 2.0 bushel collection bag



#### LM2100SP / LM2102SP 21" SELF-PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity and 2.0 bushel collection bag









#### LM2020SP / LM2022SP 20" MOWER

Self-propelled mower with a 20-inch cutting capacity, automatic variable speed and heavy-duty steel deck



#### LM2130SP / LM2135SP 21" SELECT CUT SELF PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System







TORQUE OF PREMIUM GAS

RUNS UP TO 60 MINUTES



#### LM2130 / LM2133 21" SELECT CUT PUSH MOWER

Push mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System



	LM2142SP		LM2100 /	LM2101	LM2100SP	/ LM2102SP	LM2020SP	/ LM2022SP	LM2130SP	/ LM2135SP	LM2150SP /	LM2156SP	LM2130 /	LM2133
CUTTING CAPACITY	21"		21"		21"		20"		21"		21"		21"	
SELF-PROPELLED SPEED	Yes		No		Yes, 1.3-3.	1 MPH	Yes, 1.3-3.	Yes, 1.3-3.1 MPH			Yes		No	
CUTTING DECK TYPE	Poly		Poly		Poly		Steel	Steel			Poly		Poly	
RUN TIME*	BATTERY S	SIZE	BATTERY	SIZE	BATTERY	SIZE	BATTERY S	SIZE	BATTERY	SIZE	BATTERY S	IZE	BATTERY	SIZE
	2*5.0Ah ^	2*7.5Ah	5.0Ah ^	7.5Ah	5.0Ah ^	7.5Ah	5.0Ah ^	7.5Ah ^	5.0Ah ^	7.5Ah	7.5Ah	10.0Ah ^	5.0Ah ^	7.5Ah
	Up to 80 mins	Up to 120 mins	Up to 45 mins	Up to 65 mins	Up to 45 mins	Up to 60 mins	N/A	Up to 60 mins	Up to 45 mins	Up to 60 mins	Up to 50 mins	Up to 75 mins	Up to 45 mins	Up to 60 mins
CUTTING SPEED CONTROL	Automatic Variable Sp	eed**	Automatic Variable S		Automatic Variable Sp	eed**	Automatic Variable Sp	eed**	Automatic Variable Sp	eed**	Automatic Variable Sp	eed**	Automatic Variable S	-
NO-LOAD SPEED	2,800 rpm		2,800 rpm		2,800 rpm		3,000 rpm		2,700 rpm		2,900 rpm		2,700 rpn	n
CUT-HEIGHT SETTINGS	1.5", 2", 2. 3.5", 4"	5", 3",	1.5", 2", 2 3.5", 4"	.5", 3",	1.5", 2", 2. 3.5", 4"	5", 3",	1 <sup>3</sup> / <sub>16</sub> ", 1 <sup>9</sup> / <sub>16</sub> " 3 <sup>3</sup> / <sub>8</sub> ", 4	', 21/8", 23/4",	1½, 1½, 2, 3½, 4	2½, 3,	1¼, 1½, 2, 3½, 4	2½, 3,	1¼, 1½, 1 3½, 4	2, 2½, 3,
HANDLE HEIGHTS	Three - use adjustable	er	Three - us adjustable		Three - use adjustable	er	Three - use adjustable	er	Three - use adjustable	er	Three - use adjustable	r	Three - us	
REAR COLLECTION	2.0 bushel		2.0 bushe	I	2.0 bushel		1.7 bushel		2.0 bushel		2.0 bushel		2.0 bush	el
MULCHING	Yes - with	plug	Yes - with	plug	Yes - with	plug	Yes - with	plug	Yes - with	plug	Yes - with	plug	Yes - wit	h plug
SIDE DISCHARGE	Yes		Yes		Yes		Yes		Yes		Yes		Yes	
VERTICAL STORAGE	Yes		Yes		Yes		Yes		Yes		Yes		Yes	
WEIGHT WITHOUT BATTERY	62.6 lbs		55.3 lbs		62.6 lbs		63.7 lbs		55.3 lbs		54 lbs		55.3 lbs	
WATER RESISTANCE RATING	IPx4		IPx4		IPx4		IPx4		IPx4		IPx4		IPx4	

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

<sup>\*\*</sup>Automatic Variable Speed delivers optimal cutting speed to maximize battery run time while maintaining grass cutting performance. 'Kit includes highlighted battery and Rapid Charger.







### WORLD'S FIRST SELF-WINDING STRING TRIMMER GET BACK TO WORK IN SECONDS



With a large cutting swath to cut any task down to size, the EGO POWER+ String Trimmers feature an adjustable handle for optimum balance and control.

The soft-start function and constant-speed control ensure consistent trimming and on a single charge, and the ARC Lithium™ battery gives you all the power you need to tackle the toughest conditions.

Other features include variable speed, easy line replacement and dual-line trimming for faster cutting and lower vibration, while the free-rotating bump head lets you rest the cutting head on the ground without it being worn away.



EGO POWER\* STRING TRIMMERS | 23








## WORLD'S FIRST! POWERLOAD





#### STEP 1

Inset the line into the eyelet and push the line until the end of the line comes out of the opposite eyelet.



#### STEP 2

Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.



#### STEP 3

Press and hold the lineloading button to start the line-winding motor.

	ST1520S / ST1521S			ST1500SA / ST1502SA			ST1510T / ST1511T			
CUTTING WIDTH	15"	15"			15"			15"		
RUN TIME*	BATTERY S	BATTERY SIZE			SIZE		BATTERY S	IZE		
	2.5Ah ^	5.0Ah	7.5Ah	2.5Ah ^	5.0Ah	7.5Ah	2.5Ah ^	5.0Ah	7.5Ah	
	Up to 30 mins	Up to 60 mins	Up to 90 mins	Up to 30 mins	Up to 60 mins	Up to 90 mins	Up to 45 mins	Up to 90 mins	Up to 135 mins	
SPEED CONTROL	Variable sp	eed		Variable sp	Variable speed			2-speed Variable		
NO-LOAD SPEEDS	4,000-5,80	0 rpm		4,000-5,800 rpm			3500-4500 / 4000-5800 rpm			
SOFT-START	Yes			Yes	Yes			Yes		
SHAFT MATERIAL	Carbon Fib	er Shaft		Aluminum Shaft			Aluminum Shaft			
LINE DIAMETER	.095''			.095''			.095''			
LINE FEED	Bump			Bump			Bump			
DUAL LINE	Yes	Yes			Yes			Yes		
WEIGHT WITHOUT BATTERY	7.05 lbs	7.05 lbs			7.3 lbs			7.4 lbs		
MOTOR TYPE	Premium B	Premium Brushless Motor			Premium Brushless Motor			Premium Brushless Motor		
WATER RESISTANCE RATING	IPx4			IPx4	IPx4			IPx4		

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.







## MORE POWER THAN A HANDHELD GAS BLOWER

Powered by a high-efficiency brushless motor, the EGO POWER+ Blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

The variable-speed function is designed to keep you in control, even in Turbo Boost mode that's capable of pushing air up to 180 MPH, depending on the model. That's more than most hand-held gas blowers on the market and that's enough power to clear up even the biggest windfall.







#### LB6500 / LB6504 EGO POWER+ BLOWER

World's most powerful handheld blower. Variable-speed thumb selector for added airflow control with single-handed use, up to 650 CFM



#### NEW!

#### LB6150 / LB6151 EGO POWER+ BLOWER

Variable-speed setting, large blower tube, up to 615 CFM output in Turbo Boost mode



#### LB5800 / LB5804 EGO POWER+ BLOWER

Variable-speed thumb selector for added airflow control with single-handed use, up to 580 CFM



#### LB5300 / LB5302 EGO POWER+ BLOWER

Variable-speed setting, large blower tube, up to 530 CFM output in Turbo Boost mode







BRUSHLESS Motor

	LB5300 / LB	15302		LB5800 / LB	5804	LB6150 / LB6	S151		LB6500 / LB	6504	
RUN TIME*	BATTERY S	IZE		BATTERY SI	BATTERY SIZE		BATTERY SIZE			BATTERY SIZE	
	2.5Ah ^	5.0Ah	7.5Ah	5.0Ah ^	7.5Ah	2.5Ah ^	5.0Ah	7.5Ah	5.0Ah ^	7.5Ah	
LOW SPEED	Up to 75 mins	Up to 150 mins	Up to 225 mins	Up to 200 mins	Up to 300 mins	Up to 100 mins	Up to 200 mins	Up to 300 mins	Up to 200 mins	Up to 300 mins	
HIGH SPEED	Up to 22 mins	Up to 44 mins	Up to 66 mins	Up to 30 mins	Up to 45 mins	Up to 15 mins	Up to 30 mins	Up to 45 mins	Up to 30 mins	Up to 45 mins	
BOOST	Up to 10 mins	Up to 20 mins	Up to 30 mins	Up to 18 mins	Up to 27 mins	Up to 10 mins	Up to 18 mins	Up to 30 mins	Up to 15 mins	Up to 23 mins	
AIR VOLUME (CFM)	530			580	580		615		650	650	
AIR SPEED (MPH)	110			168 (with ta	168 (with tapered nozzle)		170 (with tapered nozzle)		180 (with ta	180 (with tapered nozzle)	
SPEED SETTING	Variable	Variable		Variable	Variable		Variable		Variable	Variable	
SOUND PRESSURE	65 dB	65 dB		65 dB	65 dB		63 dB		64 dB	64 dB	
WEIGHT WITHOUT BATTERY	4.8 lbs	4.8 lbs		4.8 lbs	4.8 lbs		4.8 lbs		4.8 lbs	4.8 lbs	
WATER RESISTANCE RATING	IPx4			IPx4	IPx4		IPx4		IPx4	IPx4	

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.











## POWER OF GAS WITHOUT THE NOISE, FUSS AND FUMES



It moves air at a staggering 600 CFM: the EGO POWER+ Backpack Blower is the industry's most powerful. With up to 120 minutes of run time, 50% less weight than gas models and eight times quieter, the EGO backpack blower blows all gas blowers away.

Equipped with a premium brushless motor and turbine fan engineering, the Backpack Blower is one of a kind. Adjust the waist belt and tube for your needs and comfort. Harness industry leading ARC Lithium™ technology to clear your lawn.



#### LB6000 / LB6003 EGO POWER+ BACKPACK BLOWER

Variable-speed thumb selector for added airflow control with single-handed use, up to 600 CFM











BRUSHLESS Motor



	LB6000 / LB6003
CONSTANT SPEED	Yes
RUN TIME*	BATTERY SIZE
	7.5Ah ^
LOW SPEED	Up to 180 mins
HIGH SPEED	Up to 33 mins
BOOST	Up to 23 mins
AIR VOLUME (CFM)	Boost: 600
AIR SPEED (MPH)	Boost: 160
SPEED SETTING	Variable
WEIGHT WITHOUT BATTERY	12.5 lbs
WATER RESISTANCE RATING	IPx4

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.











## POWER TO REACH NEW HEIGHTS, THE NEW EGO POWER MULTI-HEAD SYSTEM



With a single power unit and many different attachments, it's easy to see why the EGO POWER+ Power Head System is a very handy tool to have around. The simple and secure tool-free coupling makes switching attachments quick, easy and safe. And with our innovative 56V ARC Lithium™ battery supplying all the power you need, you can breeze through a variety of jobs without the fuss or fumes and with less noise than traditional gas-powered tools. Plus the extension pole gives you the reach to tackle any height.

#### ATTACHMENTS AVAILABLE:

- · Extension pole
- Pole saw
- · String trimmer
- · Hedge trimmer
- Edger
- Cultivator
- Bristle brush
- · Rubber broom



#### EP7500 POWER HEAD SYSTEM EXTENSION POLE



MULTI-TOOL SETS	INCLUDES
MST1501	PH1400, STA1500
MHC1502	PH1400, STA1500 and EA0800
ME0800	PH1400, EA0800
ME0801	PH1400, EA0800
MPS1001	PH1400, PSA1000
MHT2001	PH1400, HTA2000

MOTOR TYPE ROTATING DIRECTION	Brushless
ROTATING DIRECTION	
	Counter clockwise
SPEED CONTROL	2-speed Variable
DRIVE SHAFT MATERIAL	7mm solid steel
DRIVE TUBE TYPE	Aluminium
COUPLING MECHANISM	Tool-free quick change
WEIGHT	5.8 lbs
DRIVE SHAFT MATERIAL DRIVE TUBE TYPE COUPLING MECHANISM	7mm solid steel Aluminium Tool-free quick chang



#### STA1500 **POWER HEAD SYSTEM** STRING TRIMMER ATTACHMENT

Packed with features to save you time and help you work safely, quickly and efficiently



	STA1500			
WEIGHT	3.5 lbs			
TOTAL LENGTH	38"			
SHAFT TYPE	Straight			
CUTTING SPEED	5,000-6,000 rpm			
RUN TIME*	BATTERY SIZE			
	2.5Ah	5.0Ah	7.5Ah	
	Up to	Up to	Up to	
	18 mins	45 mins	72 mins	
CUTTING WIDTH	15"			
LINE DIAMETER	.095"			
CUTTING HEAD	Rapid reload trimmer head			

#### **PSA1000 POWER HEAD SYSTEM POLE SAW ATTACHMENT**

10-inch guide bar and chain make cutting branches fast and efficient



	PSA1000		
WEIGHT	4.2 lbs		
TOTAL LENGTH	56''		
SHAFT TYPE	Straight		
CUTTING SPEED	15m/s		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah
	Up to	Up to	Up to
	70 cuts	140 cuts	210 cuts
BLADE MATERIAL / TYPE	Oregon 90PX040X		
GUIDE BAR LENGTH	10"		
CHAIN PITCH	3/8"		
CHAIN GAUGE	.043"		
MAX. CUTTING DIAMETER	8"		
OIL TANK CAPACITY	7.4 oz.		

#### CTA9500 **POWER HEAD SYSTEM CULTIVATOR ATTACHMENT**

The heavy-duty steel tines are adjustable from 8 to 9.5 inches



	CTA9500		
WEIGHT	8.59 lbs		
TOTAL LENGTH	39"		
SHAFT TYPE	Straight		
CUTTING SPEED	210-240 rpm		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah
	Up to	Up to	Up to
	40 mins	80 mins	120 mins
CUTTING WIDTH	Adjustable	e 2 blades	8"
OUTTING HIDTH	4 blades 9.5"		
BLADE MATERIAL / TYPE	Steel		

### EA0800 **POWER HEAD SYSTEM EDGER ATTACHMENT** With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy

	EA0800		
WEIGHT	5.0 lbs		
TOTAL LENGTH	36"		
SHAFT TYPE	Straight		
CUTTING SPEED	3,400-4,000 rpm		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah
	N/A	Up to	Up to
	N/A	60 min	100 mins
BLADE LENGTH	8"		
CUTTING DEPTH	up to 3"		
BLADE THICKNESS	0.12"		
DEBRIS GUARD MATERIAL	Aluminum casting		
BLADE ARBOR HOLE SIZE	1"		
GUIDE WHEEL SIZE	5" x 1.5"		

#### HTA2000 **POWER HEAD SYSTEM HEDGE TRIMMER ATTACHMENT**

As precise as it is powerful—laser-cut, diamondground blades and simple angle adjustments



	HTA2000		
WEIGHT	5.9 lbs		
TOTAL LENGTH	63''		
SHAFT TYPE	Straight		
CUTTING SPEED	2,800-3,200 spm		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah
	Up to	Up to	Up to
	37 mins	82 mins	122 mins
BLADE LENGTH	20"		
CUTTING CAPACITY	1"		
BLADE MATERIAL / TYPE	Double-sided laser-cut steel blade		
FIXED CUTTING ANGLES	12 positions		

#### BBA2100 **POWER HEAD SYSTEM BRISTLE BRUSH ATTACHMENT**

22-inch sweeping surface conveniently clears large areas quickly



BBA2100		
11 lbs		
40"		
Straight		
210-240 rpm		
BATTERY SIZE		
2.5Ah	5.0Ah	7.5Ah
Up to	Up to	Up to
50 mins	100 mins	150 mins
22"		
	11 lbs 40" Straight 210-240 BATTERY 2.5Ah Up to 50 mins	11 lbs 40" Straight 210-240 rpm BATTERY SIZE 2.5Ah 5.0Ah Up to Up to 50 mins 100 mins

#### RBA2100 **POWER HEAD SYSTEM** RUBBER BROOM ATTACHMENT

21-inch cleaning swath cleans grass, asphalt, and concrete areas quickly



	RBA2100		
TOTAL LENGTH	40.5"		
SHAFT TYPE	Straight		
SPEED	210-240 rpm		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah
	Up to	Up to	Up to
	50 mins	100 mins	150 mins
CLEANING WIDTH	21"		


<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.











## WORLD'S FIRST AUTO TENSIONING TECHNOLOGY



The EGO POWER+ Chain Saws are built tough to tackle even the hardest jobs. Trunks, logs, branches—nothing gets in its way.

The tool-free chain tensioning makes set up and adjustment simple. Check the lubrication level through the oil inspection window and you're ready to go.

It really cuts it when it comes to safety, too.

The chain kickback and electric brake protect you while you work. And the auto-lubrication system keeps the chain spinning freely at all times.

Plus, with EGO's 56V ARC Lithium™ battery delivering such impressive run times and incredible power on a single charge, it'll keep you working cut after cut after.



#### CS1400 / CS1401 14" EGO POWER+ CHAIN SAW

14-inch bar length and brushless motor







BRUSHLESS Motor



#### CS1600 / CS1604 | 16" EGO POWER+ CHAIN SAW

16-inch bar length and brushless motor







BRUSHLESS Motor



#### CS1800 / CS1804 | 18" EGO POWER+ CHAIN SAW

18-inch bar length and brushless motor







AUTO-Tensioning System

BRUSHLESS



	CS1400 / CS1401		CS1600 / CS1604		CS1800 / CS1804				
BLADE LENGTH	14"		16"		18"				
MOTOR TYPE	Premium brushless motor		Premium brushless motor		Premium brushless motor				
RUN TIME*	BATTERY SIZE			BATTERY SIZE	BATTERY SIZE		BATTERY SIZE		
	2.5Ah ^	5.0Ah	7.5Ah	2.5Ah	5.0Ah ^	7.5Ah	2.5Ah	5.0Ah ^	7.5Ah
	Up to 130 cuts	Up to 300 cuts	Up to 450 cuts	Up to 130 cuts	Up to 300 cuts	Up to 450 cuts	Up to 130 cuts	Up to 300 cuts	Up to 450 cuts
CHAIN BAR	Oregon 144MLEA041 / AG1400		Oregon 164ML	Oregon 164MLEA041 / AG1400		Oregon 180SDEA041 / AG1800			
CHAIN DAN	(EGO chain saw accessory)		(EGO chain saw accessory)		(EGO chain saw accessory)				
CHAIN TYPE	Oregon 90PX05	52X / AC1400		Oregon 90PX056E / AC1600		Oregon 91PX062X / AC1800			
OTAIN THE	(EGO chain saw accessory)		(EGO chain saw accessory)		(EGO chain saw accessory)				
CHAIN SPEED	13.5 m/s		13.5 m/s		20 m/s				
OIL RESERVOIR	5 oz		5 oz		6.76 oz				
AUTOMATIC OILING	Yes			Yes		Yes			
CHAIN BRAKE	Yes		Yes		Yes				
TOOL-FREE TENSIONING	Yes		Yes		Yes				
WEIGHT WITHOUT BATTERY	8.2 lbs		8.5 lbs		9.6 lbs				
WATER RESISTANCE RATING	IPx4		IPx4		IPx4				








### BALANGED, CONTROLLED, POWERFUL CUTTING



A cordless hedge trimmer that can truly replace gas. World's first cordless hedge trimmer with a 1-inch cut capacity.

Powered by the gas-matching 56V ARC Lithium™ battery, a single charge delivers such impressive run time that you'll be amazed at how much hedge you can cut. 3,000 strokes per minute—to make clean, fast cuts and get the job done faster.



#### HT2410 / HT2411 24" EGO POWER+ HEDGE TRIMMER

24-inch blade length, 1-inch blade gap with single knife-edge cutting action







BRUSHLESS Motor



#### NEW!

#### HT2500 / HT2501 25" EGO POWER+ HEDGE TRIMMER

25-inch blade length, 1-1/4-inch blade gap with double-sided, laser cut steel blades



	HT2410 / HT2411			HT2500 / HT2501		
BLADE LENGTH	24"			25"		
BLADE GAP	1"			1¼"		
RUN TIME*	BATTERY SIZE			BATTERY SIZE		
	2.5Ah ^	2.5Ah <sup>^</sup> 5.0Ah 7.5Ah			5.0Ah	7.5Ah
	Up to 75 mins	Up to 150 mins	Up to 225 mins	Up to 40 mins	Up to 70 mins	Up to 110 mins
SPEED CONTROL	Single speed			2-Speed Setting (high/low)		
NO LOAD SPEEDS	3,000 spm			2,800/3,200 spm		
BLADE TYPE	Hardened stee	l cutting blade		Laser Cut, Diamond Ground cutting blades		
CUTTING ACTION	Dual-Action, Single-Sided Cutting Blade			Dual action; double-sided cutting blade		
WEIGHT WITHOUT BATTERY	6.16 lbs			8.4 lbs		
WATER RESISTANCE RATING	IPx4			IPx4		

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.







# TAKE ON ANYTHING WINTER THROWS AT YOU



Introducing the new EGO POWER PLUS 2-Stage Snow Blower - a heavy-duty workhorse with unmatched power from the number-one-rated brand in cordless outdoor power equipment. Peak Power™ technology combines the power of any two EGO 56V ARC Lithium™ batteries to tackle the toughest snow conditions and what the snowplow leaves behind with ease. Get the job done quickly with the 24 in. clearing width and 20 in. intake height to push through even the heaviest of wet snow. 4 LED lights make it easy for use in early morning or evening. On just a single charge, this self-propelled snowblower can clear up to 8 inches of dense snow from an 18-car driveway before launching it 50 feet in the direction of your liking. And heavy duty, thick-tread tires make commanding your way through a whiteout effortless. The all new EGO POWER PLUS 2-Stage Snow Blower - the power and performance of gas without the noise, fuss or fumes.



COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES

#### SNT2400 / SNT2405 EGO POWER+ 2-STAGE SNOW BLOWER

Robust steel construction and 50-foot throwing distance



	SNT2400 / SNT2405			
CLEARING WIDTH	24"			
RUN TIME*	2 x 7.5Ah			
	18" Car Driveway 8" of Snow			
VARIABLE AUGER SPEED	Yes			
SINGLE/DUAL STAGE	Dual			
MAXIMUM THROWING DISTANCE	50'			
PUSH BUTTON START	Yes			
HEADLIGHTS	Yes			
INTAKE HEIGHT	20"			
AUGER TYPE	Robust Steel			
CHUTE ROTATION	200°			
DECK MATERIAL	Robust steel			
VERTICAL STORAGE	Yes			
WEIGHT WITHOUT BATTERY	143.3 lbs			
WATER RESISTANT RATING	IPx4			

\*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.







## STARTS THE FIRST TIME, EVERYTIME, EVERYWHERE



Featuring Peak Power™ technology the EGO POWER+

Snow Blower combines the power of any two EGO 56V

ARC Lithium™ batteries for superior clearing power, even heavy, wet snow. Built with a high-efficiency brushless motor and a 21-inch-wide intake it can handle it all, even what the city snow plow leaves behind.

Easily adjust the variable-speed auger to control how far the snow is thrown, up to 40 feet, for maximum control. A robust, handle-mounted chute-adjustment lever puts the user in control when re-directing the snow up to 180 degrees from side to side. Two bright LED headlights make it convenient for use early in the morning or at night and the robust steel chassis is built for aggressive use in demanding conditions.



#### SNT2100 / SNT2102 / SNT2103 EGO POWER+ SNOW BLOWER

Robust steel construction and 35-foot throwing distance



#### SNT2110 / SNT2114 EGO POWER+ SNOW BLOWER

Robust steel construction and 40-foot throwing distance



	SNT2100 / SNT2	2102 / SNT2103	SNT2110/ SNT2114	
CLEARING WIDTH	21"		21"	
RUN TIME*	2 x 5.0Ah 2 x 7.5Ah		2 x 7.5Ah	
	10 Car Driveway 8" of Snow	16 Car Driveway 8" of Snow	14 Car Driveway 8" of Snow	
VARIABLE AUGER SPEED	Yes		Yes	
SINGLE/DUAL STAGE	Single		Single	
MAXIMUM THROWING DISTANCE	35'		40'	
PUSH BUTTON START	Yes		Yes	
HEADLIGHTS	Yes		Yes	
INTAKE HEIGHT	13"		13"	
AUGER TYPE	Rubber-tipped metal frame		Robust steel	
CHUTE ROTATION	180°		180°	
DECK MATERIAL	Robust steel		Robust steel	
VERTICAL STORAGE	Yes		Yes	
WEIGHT WITHOUT BATTERY	50.6 lbs		143.3 lbs	
WATER RESISTANT RATING	IPx4		IPx4	

\*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



#### **EGO POWER+ CHAIN SAW BARS**

#### AG1000

10-inch guide bar for PSA1000



#### AG1200

12-inch guide bar for CSX3000



#### AG1400

14-inch guide bar for CS1400



#### AG1600

16-inch guide bar for CS1600



#### AG1800

18-inch guide bar for CS1800



#### **EGO POWER+ CHAIN SAW CHAINS**

#### AC1000

90PX chain for PSA1000



#### AC1200

91PX chain for CSX3000



#### AC1400

90PX chain for CS1400



#### AC1600

90PX chain for CS1600



#### AC1800

91PX chain for CS1800



#### **EGO POWER+ MOWER BLADES**

#### AB2000

Standard blade for LM2002, LM2021 and LM2022SP



#### AB2100

Standard blade for LM2101 and LM2102SP



#### AB2101

High lift blade for 20" lawn mowers



#### AB2100D

Mulching Dual-Blade set for EGO Select Cut 21-inch Lawn Mowers



#### AB2101D

Bagging Dual-Blade set for Select Cut 21-inch Lawn Mowers



#### EGO POWER+ Z6 MOWER

#### AB4201D

Bagging blade set for ZT4204L



#### AB4200D

Replacement blade set ZT4204L



#### ABK4200

ZT4204L bagger kit



#### AMP4200

ZT4204L mulching plug



#### EGO POWER+ BLOWER ATTACHMENT

#### AGC1000

**Gutter cleaning attachment** 



#### AN5300

Nozzle for LB5300 and LB5750



#### AN5801

Spread nozzle for LB5800



#### ANGOOOF

Flat nozzle for LB6500, LB6150, LB5800, LBX6000



#### AN6000R

Nozzle for LB6500, LB6150, LB5800, LBX6000



#### EGO POWER+ SHOULDER STRAPS

#### AP1500

Shoulder harness for one hook for ST1500, ST1500F, ST1500SF, ST1504F and ST1504SF



#### AP5300

Shoulder harness without loop, one hook for LB6504, LB6151, LB5300, LB5302, LB5750 and LB5754



#### **EGO POWER+ STRING TRIMMER HEADS**

#### AH1520

Powerload™ Trimmer head for ST1500 /ST1500F/ ST1530 \*AH1522 for counter-clockwise rotation



#### AH1500

Rapid Reload Trimmer head for ST1502SF and MST1501 \*AH1501 for counter-clockwise rotation



#### AH1530

Rapid Reload Trimmer Head



#### AH1531

Rapid Reload Trimmer Head



#### AH3800

Trimmer Head for STX3800



#### **AL2420P**

Pre-cut .095" twisted trimmer line - 5 pack



#### AL2420PD

Pre-cut .095" twisted trimmer line - 5 pack



#### **AL2450S**

160 Feet of 0.095" twisted line20P





#### EGO POWER+ SINGLE STAGE SNOW BLOWER

#### ARP2100

Rubber paddles for SNT2100



#### ASS2100

Scraper bar for SNT2100



#### ARP2101

Steel auger paddles for SNT2110



#### AVB2306

Snow blower belt for SNT2100/SNT2110



#### EGO POWER+ 2-STAGE SNOW BLOWER

#### ASG2400L

Left auger



#### ASG2400R

Right auger



#### AW2400L

Left wheel



#### AW2400R

Right wheel



#### **EGO POWER+ SAFETY GLASSES**

#### **GS001**

- Clear lenses with 99.9% UV protection
- Anti-scratch
- Impact-resistant lens



#### **GS002**

- Gray lenses with 99.9% UV protection
- Anti-scratch
- Impact-resistant lens



#### **GS003**

- Yellow lenses with 99.9% UV protection
- Anti-scratch
- · Impact-resistant lens



#### **EGO POWER+ WORK GLOVES**

#### **GV001**

Synthetic work gloves



#### GV002

Leather work gloves



#### EGO POWER+ STORAGE BAGS

#### BMH1000

For use with the EGO Multi-Head System



#### BCS1000

For use with the EGO 14", 16" & 18" chain saws



#### CM001

Mower cover for 20" and 21" mowers



#### **CB002**

Snow Blower cover for SNT2100/SNT2110




## COMMERCIAL SERIES 2021






#### **TABLE OF CONTENTS**

EGO POWER+ Commercial Series	42
Power for Pros	42
HAVS & Noise	44
EGO POWER+ Backpack Battery	46
Commercial Backpack Battery	47
EGO POWER+ Chargers	48
Rapid Charger	49
56V Charger Commercial Charger with Rapid Mode	49 49
,	
EGO POWER+ Commercial String Trimmer	50
Commercial String Trimmer	51
EGO POWER+ Commercial Hedge Trimmer	<b>52</b>
25" Commercial Hedge Trimmer	53
EGO POWER+ Commercial Blower	54
Commercial Blower with 600 CFM Turbo Boost	<b>34</b> 55
	33
EGO POWER+ Warranties	56
4	
•	








Designed to work harder, all day every day, in the most

challenging conditions. This series of high-spec tools and backpack battery take gas-free working to a whole new level, ensuring productivity levels remain high.

SERIES



### New series,

same compatibility

EGO is a name you can rely on. With a history of cordless power innovation, we know the ability to mix and match batteries, backpacks, harnesses and tools is vital. This level of complete flexibility continues with the commercial series.





## LESS VIBRATION, LESS NOISE, MORE USER

#### Power through any job without the excess physical stresses and strains associated with heavy, noisy and vibrating gas-powered tools

A big benefit of choosing EGO's low-vibration cordless tools is how they help users avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as "Vibration White Finger" it causes painful and disabling disorders of the blood vessels, nerves and joints.

### Designed so you can work comfortably all day long

With a smooth brushless motor and fewer moving parts, all E60 POWER+ tools have been designed to operate with low levels of vibration, often under the 2.5m<sup>2</sup> Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV).

This allows you to comfortably work with them all day long without any risk to your health. So, choose EGO POWER+ and protect yourself every working day.

#### They are much quieter, too

Let's face it. Gas tools are noisy, and daily exposure can lead to hearing loss and also tinnitus, a permanent ringing sensation in the ears. Fortunately, the EGO POWER+ range is much quieter than gas-powered alternatives reducing the risk of potential damage, especially over long-term use.

Operating noisy equipment can also lead to an increase in work-related stress. Many factors are known to contribute to this condition and rarely there is a single cause. However, because EGO POWER+ tools operate at lower sound levels, the working environment is quieter and less stressful for the user.













### Team up your EGO POWER+ tools with one of our lithium-ion backpacks

Balancing exceptional power with user comfort, EGO's lithium-ion BAX1501 backpacks are ergonomically designed to keep you working all day long. The battery pack can be removed from the harness\* allowing the battery to be shared among multiple users, each with their own harness.

To ensure optimum performance, efficiency and longevity, these high-energy capacity batteries incorporate intelligent individual cell monitoring and balancing, both when powering a tool and when recharging.

#### Designed to perform, built to last

Delivering the run times you demand, EGO POWER+ backpack batteries can give you a full day's work\*\* from a single charge. The high-quality cells with both high power rating and high energy density can handle up to 1,000 charge cycles. Plus, with fast recharging you can go from empty to full in just 3.5 hours.

#### Flexible performance

With long run times and user-comfort, EGO POWER+ backpack batteries are perfect for all-day use. They're compatible with all EGO POWER+ tools, and as the battery is on the harness and not the tools, they are lighter and even easier to handle.



#### BAX1501 COMMERCIAL **BACKPACK BATTERY**



56V 28Ah lithium-ion backpack battery that provides the same power as 80% of gas products, all minus the noise, fumes and vibration, of course

BAX1501
1568Wh at 56V rated
Adapter / Plug-in
19.8 lbs w/o harness
Detachable
IP56
CHX5500
Up to 1,000 cycles

\*Note the harness straps are supplied with padded comfort straps and may appear different.

\*\*Dependent on the tool and based on an 8-hour working day

	BH1001	BHX1001	
HARNESS	Soft padded double shoulder strap	Double shoulder strap with waist belt	
QUICK DETACHABLE HARNESS	No	Yes	
CONNECTING METHOD	Quick plug-in & out for EGO Commercial Tools Adapter ADB1000 for EGO Residential Tools	Quick plug-in & out for EGO Commercial Tools Adapter ADB1000 for EGO Residential Tools	
CARRYING HANDLE	Yes	Yes	
HIP PAD FOR BRUSH CUTTER	Quick attach (optional)	Quick attach (optional)	
UPRIGHT STAND STORAGE	Yes	Yes	
WEIGHT WITHOUT BATTERY	4.8 lbs	6.5 lbs	

	ADB1000
QUICK PLUG-IN AND OUT	Yes
COUNTERWEIGHT ADJUSTMENT	No
RUBBER MOLD PROTECTION	Yes
WEIGHT	1.3 lbs








## THE TOUGH ANSWER TO ROUGH GROUND

Perfectly balanced for comfortable use, the EGO Power+ Commercial String Trimmer make short work of even the roughest ground; power comes from EGO's Commercial Backpack Battery and the readyfor-anything 2,000-watt motor

All this is channeled through the light yet amazingly strong carbon fiber shaft. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.



#### STX3800 COMMERCIAL STRING TRIMMER

Leave the fuss and fumes of gas behind with this powerful, pro-standard tool. Pair up with our Commercial Backpack Battery BAX1501 for all-day power and comfort.

	STX3800		
CUTTING WIDTH			
- Line trimmer head	15"		
TOTAL LENGTH	73" / 6'		
RUN TIME* WITH	With trimmer head		
BAX1501 BATTERY	Up to 300 mins		
SPEED CONTROL	Constant variable speed		
NO LOAD SPEEDS	5700 rpm		
SOFT-START	Yes		
LINE DIAMETER	.095" - 1.0"		
LINE FEED	Manual wind bump feed head		
DUAL LINE	Yes		
ROTATING DIRECTION	Counter-clockwise		
AUXILIARY HANDLE	Loop handle		
HARNESS	Hip pad (AHP1500)		
WEIGHT	14.3 lbs		
MOTOR TYPE	Brushless		
	With trimmer head		
VIBRATION (M/S <sup>2</sup> )	1.9/1.5		

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.





## MAKES CUTTING HEDGES SHORT WORK

#### Designed for professionals, the Commercial Hedge Trimmer is precision engineered to tackle the toughest hedges with ease

Powered by the gas-matching Commercial Backpack
Battery, a single charge delivers impressive run times.
The smooth and quiet brushless motor and gearbox give
you all the power you need, without the vibration, fumes
and noise of a gas engine.

#### Blades that stay sharper for longer

The high-quality EGO POWER+ blades are made from lasercut steel with diamond-ground edges, which are laserhardened to stay sharp longer than conventional blades.




#### HTX6500 **COMMERCIAL HEDGE TRIMMER**

Powerful, smooth and perfectly balanced, the dual trigger system provides enhanced user comfort and safety. Making it perfect for any job, big or small.

	HTX6500
BLADE LENGTH	25"
CUTTING CAPACITY	1.3"
BLADE GAP	1.3"
RUN TIME <sup>*</sup> WITH Bax1501 Battery	Up to 420 mins
SPEED CONTROL	One-speed
NO LOAD SPEEDS	3600 spm
BLADE TYPE	Double-sided cutting
CUTTING ACTION	Dual action; double-sided cutting
BLADE TIP PROTECTOR	Yes
ROTATING HANDLE	No
WEIGHT	8.5 lbs
MOTOR TYPE	Brushless
VIBRATION (M/S <sup>2</sup> )	3.2/3.9

<sup>\*</sup>Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.







## INDUSTRY'S MOST POWERFUL TOP-HANDLE CHAINSAW

Introducing EGO's arborist-specialist tool.
The top Handle Chainsaw is designed to tackle the challenges of all-day professional use and deliver the power of gas at 37.7CC that lasts up to 265 cuts.

With industry-leading ARC Lithium™ battery technology at its heart, the Top Handle Chainsaw provides unrivalled power, torque and chain speed, while benefiting from longer run times and fast recharge. And with no pull-chord, no need to run the tool in idle and no hot exhaust, switching to EGO ARC Lithium™ power makes more sense than ever.

A unique Chain-Brake Safety System is a cutting-edge combination of mechanical and electronic technology reducing the risk of injury, stopping the tool's motor faster if kickback occurs.






#### CSX3000/CSX3003 COMMERCIAL TOP HANDLE CHAIN SAW

Designed to deliver best-in-class power, torque and chain speed for the professional arborist

	CSX3000
BAR LENGTH	12"
CHAIN SPECS	3/8" Pitch / .043 Gauge / 45 Links
AMP HOURS	5.0 Ah
CHAIN SPEED	20m/s
WEATHER RESISTANCE	IPX4
TOTAL BATTERY CAPACITY	280Wh
CUTTING CAPACITY	Up to 265 Cuts (with 5.0Ah Battery)
AUTO-TENSIONING	No
AUTOMATIC OILING	Yes
CHAIN KICK BACK BRAKE	Yes
WEIGHT	7.7 lbs
MOTOR TYPE	Brushless
BUCKING SPIKES	Metal
LED'S	Yes

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique.







## OUT POWERS GAS-POWERED BLOWERS

Setting a new standard for blowers, the LBX6000 is the most powerful handheld blower on the market; delivering more blowing time, more comfort and more power than gas

With the ability to blow over 600 CFM of air per hour on Turbo Boost mode, the leaves and the competition don't stand a chance.





#### **LBX6000**

#### **COMMERCIAL BLOWER**

Designed to be used with the Commercial Backpack Battery BAX1501, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its gas-powered equivalents

	LBXGOOO					
CONSTANT SPEED	Yes					
*	Level 1	Level 2	Level 3	Level 4	Boost	
RUN TIME <sup>*</sup> WITH BAX1501 BATTERY	Up to 350 mins	Up to 210 mins	Up to 140 mins	Up to 100 mins	Up to 70 mins	
AIR VOLUME	Max = 600 CFM					
AIR SPEED	130 MPH					
FORCE (MAX)	20N					
SPEED SETTING	4 level settings and boost					
WEIGHT	5.9 lbs					
MOTOR TYPE	Brushless					
VIBRATION (M/S <sup>2</sup> )	1.167					

\*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.



### WARRANTIES YOU CAN RELY ON



At EGO we pride ourselves on manufacturing products that are not only innovative and easy to use, but reliable and robust, too. And however unlikely our products are to go wrong, it's good to know that all our products are covered by a warranty\* you can rely on. All EGO POWER+ tools come with a 2-year warranty and batteries come with a commercial user 2-year warranty.

### The support of our service dealer network

With a nationwide network of EGO approved service dealers, you're never too far from the support you need. From selecting the most suitable tools for your needs to providing an outstanding after sales service, get great face-to-face advice whenever you need it.

#### Original spare parts

We're here to keep your tools running for years to come. We can provide the spare parts to extend the life of the tool.

#### **Committed to quality**

We're one of the biggest power tool manufacturers in the world with over 5,500 employees and over 10 million units manufactured each year. To make sure our tools combine gas-matching power with the ease of use and reliability you need, we've invested heavily into research and development to become one of the world leaders in battery technology.

Our advanced manufacturing process is highly digitalized and automated to ensure the consistent high quality and performance of our tools.



\*For defects caused by material or manufacturing fault. This does not cover wear and tear.











EGO POWER<sup>®</sup> 650 CFM BLOWER





,	Your local dealer:			

www.egopowerplus.com







All rights reserved. Neither this catalog nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalog are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification. ©EGO 2021